

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-77612 12"	2700K	AL Brushed Aluminum	11W	863	779
		BK Brushed Black		905	791
		BR Brushed Brass		935	840
	3000K				
	3500K				

Example: **WS-77612-35-BR**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver installed within the Junction Box, driver dimension: 2.8" x 1.6" x 1.1"
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	85,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware with co-extruded acrylic diffuser

FINISHES:



Brushed Aluminum

Brushed Black

Brushed Brass

WAC LIGHTING

Brink

Bathroom Sconce


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING: _____



WS-77612

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-77618 18"	2700K	AL Brushed Aluminum	16W	1155	910
	3000K	BK Brushed Black		1225	1015
	3500K			1330	1115

Example: **WS-77618-35-BK**

For custom requests please contact customs@waclighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver installed within the Junction Box, driver dimension: 2.8" x 1.6" x 1.1"
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	85,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware with co-extruded acrylic diffuser

FINISHES:



Brushed
Aluminum

Brushed
Black


Brushed
Brass

WAC LIGHTING

Brink
Bathroom Sconce

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

LINE DRAWING: _____



WS-77618

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-77624 24"	2700K	AL Brushed Aluminum BK Brushed Black	21W	1595	1330
	3000K			1720	1440
	3500K			1785	1510

Example: **WS-77624-35-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver installed within the Junction Box, driver dimension: 2.8" x 1.6" x 1.1"
- 5 year warranty

SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	85,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware with co-extruded acrylic diffuser



FINISHES:



Brushed
Aluminum

Brushed
Black

Brushed
Brass

WAC LIGHTING

Brink

Bathroom Sconce


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING: _____



WS-77624

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type:

Catalog Number:

Project:

Location:

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-77636 36"	2700K	AL Brushed Aluminum	30W	2365	1985
	3000K	BK Brushed Black		2445	2095
	3500K			2561	2180

Example: **WS-77636-35-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# CP-TL-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Option to pre-select color temperature or adjust in the field
- Driver installed within the Junction Box, driver dimension: 2.8" x 1.6" x 1.1"
- 5 year warranty



SPECIFICATIONS

Color Temp:	2700K,3000K,3500K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10%
Rated Life:	85,000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Title 24 JA8 Compliant, ADA, Damp Location Listed
Construction	Aluminum hardware with co-extruded acrylic diffuser

FINISHES:



WAC LIGHTING

Brink

Bathroom Sconce


Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

LINE DRAWING: _____



WS-77636