

WAC LIGHTING

Fiction

Outdoor Wall Sconce 3000K

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W11914 14"	3000K	BK Black	15W	788	749

Example: **WS-W11914-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL, IP65, ADA, Wet Location Listed
Construction	Aluminum body with acrylic diffuser

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____




FINISHES:



Black

LINE DRAWING:



WS-W11914

WAC LIGHTING

Fiction

Outdoor Wall Sconce 3000K

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W11920 20"	3000K	BK Black	15W	1666	798

Example: **WS-W11920-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL, IP65, ADA, Wet Location Listed
Construction	Aluminum body with acrylic diffuser




FINISHES:



Black

LINE DRAWING:



WS-W11920

WAC LIGHTING

Fiction

Outdoor Wall Sconce 3000K

Fixture Type: _____
Catalog Number: _____
Project: _____
Location: _____

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W11926 26"	3000K	BK Black	20W	2855	1138

Example: **WS-W11926-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277V,50/60Hz
CRI	90
Dimming:	ELV: 100-10% , 0-10V: 100-5% , TRIAC: 100-10%
Rated Life:	50,000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL, IP65, ADA, Wet Location Listed
Construction	Aluminum body with acrylic diffuser



FINISHES:



Black

LINE DRAWING:

