

Nomad outdoor cushion- Oat - lumbar 60/40/15

21106

Description

Based on some of our most popular interior designs and colours, our outdoor cushions create a plush and cosy setting. With weather resistant covers and quick dry fillers, the Nomad outdoor cushion offers a luxurious statement to the Jack collection.

100% Polypropylene fabric / Quick dry foam?



About Ethnicraft

Authentic craftsmanship is a cornerstone of who we are and what we do at Ethnicraft. Originating with a specialty in solid wood furniture, we are passionate about connecting the dots between great design and artisan skill using warm and natural materials.

[Assembly Instructions](#)

[Care Instruction - Outdoor Collection](#)

[Line Drawing](#)

Collection	Nomad
Category	Home Textiles / Cushions
Environment	Outdoor
Main material	Textile

Dimensions

General Dimensions	
Width (in)	23.5
Depth (in)	15.5
Height (in)	6
Net weight (lbs)	2.43



Nomad outdoor cushion- Oat - lumbar 60/40/15


21106

Packaging


Packaging General	
Packaging with outer crate	No
Packaging with inner pallet	No
Carton box density (burst strength)	

Packaging Material Details				
Material	Weight (gram)	Percentage	Recycled	Recyclable

Packaging Details



Pack number	1		
Pack length (in)	8.86	Vol (ft3)	0.13
Pack width (in)	8.86	GW (lbs)	1.1
Pack thickness (in)	2.95	EAN	5404023628145



Pack number	2		
Pack length (in)	25.59	Vol (ft3)	2.07
Pack width (in)	17.72	GW (lbs)	3.75
Pack thickness (in)	7.87	EAN	

Nomad outdoor cushion- Oat - lumbar 60/40/15

21106

Test, Label and Certificates

Strength, Durability, and Stability

Are tested according to

- EN ISO 12947-2 inhouse tested

Safety and Health Regulation

Fabric

- PFAS Free
- PFAS Free
- Prop 65 Compliant
- REACH SVHC

Foam

- PFAS Free
- Prop 65 Compliant
- REACH SVHC
- OEKO TEX STANDARD 100

Nomad outdoor cushion- Oat - lumbar 60/40/15

21106

AGEC

Attribute	Value
Incorporation of recyclable materials	≥ 95%
Country of manufacturing	Romania

Other

Attribute	Value
Construction	No assembly required