




UTILITILE






ASSEMBLY INSTRUCTIONS FOR HANGING HARDWARE INSTALLATION

HARDWARE ENCLOSED


 MOUNTING PLATE (4 pcs) 2 pcs Pre-installed 2 pcs included	 SCREW 6x60 (4 pcs) (not included in package)	 WALL PLUG (4 pcs) (not included in package)
--	--	---

TOOLS REQUIRED

 CROSS-HEAD SCREW DRIVER (not included in package)	 PENCIL (not included in package)	 DRILLING MACHINE (not included in package)
--	---	---



NOTICE



SYMBOLS



USE SCREW DRIVER
TO TIGHTEN



USE DRILLING
MACHINE



USE PENCIL
TO MARK




DIRECTION




NUMBER OF
PERSON NEEDED

A



B



UTILITILE


ASSEMBLY INSTRUCTIONS FOR HANGING HARDWARE INSTALLATION




A. Preparations




$$X = Y - 9,3 \text{ cm}$$




Y cm
Desired high




B. Making Marks for Drilling Point





Y cm
Desired high




C. Drilling The Marks




D. Installing Wall Mounting Plate




Mounting
plate



E. Installing Item to the Wall



F. Finish



- For keyed model the lower shelf is designed to open 40° at maximum
- Pull it further may cause damage